



Dog Waste Bins

A complete range to suit all requirements



Retriever City™

Dog Waste Bin

Retriever City dog waste bin offers an integrated sack dispenser and chute operating system within one unit. Retriever City requires minimal maintenance and is ideal for keeping streets clean in urban areas.

- **Integral dispenser allows only one sack to be taken at a time.**
- **Secure, tamper resistant chute system.**
- **Extremely robust double skinned body and door.**
- **Clear graphics encourage correct use.**
- **Secure, vandal resistant locking mechanism.**
- **Door-opening design provides easy access for removal and replacement of sacks.**
- **Space saving narrow footprint.**

DIMENSIONS

Bin Height: 1150mm
Width: 440mm
Depth: 350mm
Capacity: 35 litres

MATERIAL

Body and Door: Durapol®* material

COLOURS

Body and Door: Black (100% recycled material), Anthracite Grey, Deep Green, Red

FIXING OPTIONS

See back page for details



Unique Sack Dispenser

*Dispenses one sack at a time.
Compatible with different sized sacks.
Easy to refill.
Supplied with pack of 250 oxo-degradable sacks.*



Front opening chute with side handles

*Provides a quick and hygienic operation.
Prevents access to the contents of the bin after it has been deposited.*



Unique locking mechanism with a 3 point interlocking door

*Easy to use, with a slam lock operation.
Lift and lock mechanism engages the door with the bin body at three separate points, to provide a highly secure, vandal resistant locking system.
The door rises and self returns to the locked position, therefore will not accidentally fall open after the operator closes it.*



Retriever City™ Sack Dispenser

The Retriever City Sack Dispenser unit encourages dog owners to pick up after their pets and ensures only one sack can be taken at a time.



- **Slim, space-saving design, with no sharp edges.**
- **Robust steel back plate with Armortec®** coating.**
- **Fixings for wall mounting.**

DIMENSIONS

Bin Height: 1085mm
Width: 415mm
Depth: 190mm
Weight: 6.5kg

MATERIAL

Door/Cover: Durapol
Back Plate: Armortec Coated Steel

COLOURS

Black (Contains Recycled Material), Anthracite Grey, Red, Deep Green

FIXING OPTIONS

See back page for details

Retriever 35™

Dog Waste Bin

Retriever 35 is ideal for use on streets and has been awarded Millennium Products Status for design innovation by the Design Council. Retriever 35 looks stylish in any urban environment, where it can be easily fastened directly onto lamp posts or walls.

- **Pivot-action opening/emptying mechanism allows easy removal and replacement of sacks.**
- **Secure, tamper resistant chute system.**
- **Triangular DIN lock provides extra vandal resistance. Easy to use – key to open, slam to lock.**
- **Chute and backbone are Armortec coated for added strength and durability.**
- **Removable bin body enables easy cleaning.**
- **Sack retention system securely holds the sack inside the bin.**



DIMENSIONS

Bin Height: 674mm
Width: 450mm
Depth: 297mm
Capacity: 35 litres
Weight: 7.1kg
Takes 380mm diameter refuse sacks
Recommended height for wall fixing: 1100mm – 1200mm to top-most point of bin

MATERIALS

Body and Hood: Durapol
Chute and Backbone: Armortec Coated Steel

COLOURS

Body and Chute: Red,
Deep Green
Hood: Grey

FIXING OPTIONS

See back page for details

PRODUCTS
MILLENNIUM

Glasdon Retriever 35 Dog Waste Unit has been awarded Millennium Products Status for design innovation, by the Design Council.

Retriever 50™

Dog Waste Bin

Retriever 50 dog waste bin is ideal for town centres, parks and coastal areas. The bin requires minimal maintenance as it features a large 50 litre capacity and is extremely weather and vandal resistant.

- **Strong and durable Mainbrace™ Stainless Steel Backbone** allows easy maintenance and operation.
- **Pivot-action opening/emptying mechanism** allows easy removal and replacement of sacks.
- **Secure, tamper resistant chute system.**
- **Triangular DIN lock** provides extra vandal resistance. Easy to use – key to open, slam to lock.
- **Removable bin body** enables easy cleaning.
- **Choice of Chute and Liner** available to suit all requirements.



DIMENSIONS

Bin Height: 725mm

Width: 500mm

Depth: 400mm

Bin Body Capacity: 50 litres

Weight:

Durapol chute c/w sack retention system: 7.4kg

Durapol chute c/w 35 litre liner: 9.5kg

Armortec coated steel chute c/w sack retention system: 8.8kg

Armortec coated steel chute c/w 35 litre liner: 13kg

MATERIALS

Body and Hood: Durapol

Chute: Durapol or Armortec Coated Steel

Mainbrace Backbone: Stainless Steel

Sack Retention System: Stainless Steel

35 litre Liner: Zinc Coated Steel

COLOURS

Body and Chute: Red, Deep Green

Hood: Grey

FIXING OPTIONS

See back page for details

Mainbrace™ Stainless Steel Backbone

The bin's Mainbrace stainless steel backbone is securely attached to the wall or post for ease of use, whilst the bin body easily pivots forward for emptying or can be removed for maintenance and cleaning.

- **Quick installation, with a choice of fixing options.**
- **Operator-friendly pivot action.**
- **Strong and robust design.**
- **Corrosion resistant material.**



Two Chute Options

Retriever 50 dog waste bin has a large capacity chute for easier waste disposal. The chute has lifting handles away from the bin's waste aperture, and when open it will conceal unsightly waste. Two material options are available:

Armortec Coated Steel Chute Option

Provides extreme weather resistance and is fitted with an internal fire shield when a steel liner is used in the bin.

Durapol Material Chute Option

Provides enhanced durability and needs no painting or surface treatment.

Choice of Liner

Both the Armortec coated steel chute option and the Durapol material chute option can be supplied with either a sack retention system or steel liner.

Sack Retention System

A stainless steel sack retention system maximises the full 50 litre capacity of the Retriever 50.

Steel Liner

A 35 litre zinc-coated steel liner provides hygienic waste collection. (When an Armortec coated steel chute is specified with a steel liner, an internal fire shield is fitted to inside the hood of the bin.)

Bin Body Top & Base Handholds

enable the operator to gain a firm and safe grip during removal from the Mainbrace backbone for maintenance and cleaning. The top handhold aids the operator to quickly and effectively lock the unit into position.



Retriever 60™

Dog Waste Bin

Retriever 60 dog waste bin is perfect for parks and open spaces, as it has a large capacity, is vandal resistant and requires minimal maintenance.

- **Large 60 litre capacity minimises the risk of overflow.**
- **Secure, tamper resistant chute system.**
- **Triangular DIN lock provides extra vandal resistance. Easy to use – key to open, slam to lock.**
- **Sack retention system securely holds the sack inside the bin.**

DIMENSIONS

Bin Height: 710mm
Width: 520mm
Depth: 440mm
Capacity: 60 litres
Weight: 10.5kg
Takes 458mm diameter refuse sacks

MATERIALS

Body and Hood: Durapol
Chute: Polyester powder coated steel

COLOURS

Body and Chute: Red, Deep Green
Hood: Grey

FIXING OPTIONS

See back page for details



PEDAL OPERATING SYSTEM

A pedal operating system is available as an optional extra.



Fido 25™

Dog Waste Bin

Fido 25 is an economical dog waste bin, suitable for areas where a lockable lid is not necessary.

- **Lid shuts automatically after use to provide extra weather resistance.**
- **Removable liner for cleaning and disinfecting.**
- **Heavy duty sacks can be supplied for 'double protection' when emptying.**

DIMENSIONS

Bin Height: 570mm
Width: 380mm
Depth: 315mm
Capacity: 25 litres
Weight: 3.7kg
Takes 380mm diameter refuse sacks

MATERIALS

Body: Duraplus® material
Lid: Durapol
Lid Hinge: Stainless Steel
Moulded Plastic Liner:
Polyethylene

COLOURS

Body: Red, Deep Green
Lid: Grey

FIXING OPTIONS

See back page for details

Evolution 65™

Dog Waste Bin

Evolution 65 is ideal for park and recreation areas. The dog waste bin is easily identifiable, extremely robust and vandal resistant and requires minimal maintenance.

- **Extremely robust double skinned door.**
- **Secure anti-burst lock; key to open, slam to lock.**
- **Door-opening design provides easy access to the liner for cleaning.**
- **Emptying frequencies are minimal, due to the large 65 litre capacity liner.**

DIMENSIONS

Bin Height: 1025mm
Width: 650mm
Depth: 400mm
Capacity: 65 litres
Weight: 17.36kg (with steel liner)

MATERIALS

Body and Door: Durapol
Metal Liner: Zinc Coated
Steel

COLOUR

Red

FIXING OPTIONS

See back page for details



Metal Fido 35™ & Metal Fido 50™

Dog Waste Bins



Metal Fido 50

Robust Metal Construction

Metal Fido dog waste bin is ideal for unsupervised areas where there is a high risk of vandalism. The bin requires minimal maintenance as its robust construction provides outstanding strength.

- **Armortec coated for superb weather, fire and vandal resistance.**
- **Pivoting lid with lid stay ensures the lid remains open during removal/replacement of sack.**
- **Extremely robust hinge system.**
- **Dog Lead Hook enables owners to secure their dog whilst using the bin.**
- **Sack retention system securely holds the sack inside the bin. A metal liner option is also available for Metal Fido 50.**

Two sizes available - a 35 litre model and a 50 litre model.

Dog Lead Hook enables owners to secure their dog whilst using the bin.



Metal Fido 35

DIMENSIONS

	Metal Fido 35	Metal Fido 50
Bin Height:	504mm	764mm
Width:	344mm	344mm
Depth:	234mm	234mm
Capacity:	35 litres	50 litres
Weight:	11.3kg	14.7kg
Takes 380mm diameter refuse sacks		

MATERIALS

Body and Lid: Armortec Coated Steel
Sack Retention System: Stainless Steel
Metal Liner (Metal Fido 50 only): Zinc Coated Steel

COLOURS

Body: Red, Deep Green Lid: Black

FIXING OPTIONS


See back page for details

QUICK REFERENCE GUIDE

	CAPACITY	CHUTE SYSTEM	MATERIAL (Bin Body)	LINER OR SACK RETENTION SYSTEM	SACK DISPENSER	CHUTE LOCK	DOG LEAD HOOK
Retriever City Page 2	35 litres	✓	Durapol	Sack Retention System	✓	Optional	Optional
Retriever 35 Page 3	35 litres	✓	Durapol	Sack Retention System	Optional	Optional	Optional On Post
Retriever 50 Page 4 & 5	50 litres	✓	Durapol	Sack Retention System or Zinc Coated Steel Liner	-	-	Optional On Post
Retriever 60 Page 6	60 litres	✓	Durapol	Sack Retention System	-	-	-
Fido 25 Page 6	25 litres	-	Duraplus	Polyethylene Liner	Optional	-	-
Evolution 65 Page 6	65 litres	-	Durapol	Zinc Coated Steel Liner	-	-	-
Metal Fido 35 Page 7	35 litres	-	Armortec Coated Steel	Sack Retention System	-	-	✓
Metal Fido 50 Page 7	50 litres	-	Armortec Coated Steel	Sack Retention System Zinc Coated Steel Liner	-	-	✓

FIXING OPTIONS AVAILABLE

FIXING	Retriever City	Retriever City Sack Dispenser	Retriever 35	Retriever 50	Retriever 60	Fido 25	Evolution 65	Metal Fido 35	Metal Fido 50
Wall mounting fixings	✓	✓	✓	✓	✓	✓	-	✓	✓
Post mounting fixings (banding not included, Tespa™ or Tamtorque® banding kits are available as an optional extra)	✓	✓	✓	✓	-	✓	-	✓	✓
Ground-Lock™ Post System for soft ground	-	✓	✓	✓	✓	✓	-	✓	✓
Armortec Coated Extended Base Post for concreting in	-	✓	✓	✓	✓	✓	-	✓	✓
Lamp Column Adaptor Bracket Fixing Kit	-	-	✓	✓	-	✓	-	-	-
External Ballast	-	-	-	-	-	-	✓	-	-
Ground-Lock System	✓	-	-	-	-	-	✓	-	-
Ground Fixing Bolts	✓	-	-	-	-	-	✓	-	-
Concrete-in Anchor (Adjustable Depth)	✓	-	-	-	-	-	✓	-	-
Flush Ground Fixing	-	-	-	-	-	-	✓	-	-



THE GLASDON GROUND-LOCK™ FIXING SYSTEM

Saves Time, Effort And Money

Easy to install into soft or unsurfaced ground without digging holes or concreting. The socket is permanent, once the barb is activated, but the barb can be retracted and the socket resited - a distinct feature of the Glasdon Ground-Lock fixing system.

INSTALLATION PROCEDURE

The Ground-Lock fixing system is quick and easy to install.



1 Socket is driven into ground using installation cap supplied and sledge hammer.



2 Barb is activated using special tool provided.



3 Using the one bolt fixing, insert and secure mounting post.



4 Locate and fix bin to post. Full fixing details are provided with each installation kit.

RESULTS OF SALT SPRAY AND IMPACT TESTS ON MILD STEEL POST WITH AND WITHOUT ARMORTEC COATING

Without Armortec Coating



With Armortec Coating



Both posts shown were subjected, firstly to repeated impact with a metal hammer, followed by **six months in a salt spray cabinet** in the Glasdon Quality Assurance Laboratory.

The salt spray cycle is a very aggressive test, designed to accelerate the corrosion process, to simulate long term weathering in an outdoor environment.

In comparative salt spray tests the Armortec coated post lasted 5 times longer than the powder-coated steel post

PERSONALISATION



We can incorporate your Name, Logo or Crest to identify and highlight your dog waste collection scheme (subject to a minimum sticker order quantity). For individual advice and further details including prices, please contact our Sales Office on (01253) 600410.



Glasdon®

Glasdon U.K. Limited

Preston New Road
BLACKPOOL
Lancashire
FY4 4UL

Tel: (01253) 600410
Fax: (01253) 792558
e-mail: sales@glasdon-uk.co.uk
web: www.glasdon.com



© Glasdon®, Armortec, Duraplus, Durapol, Evolution 65, Fido 25, Ground-Lock, Mainbrace, Metal Fido 35, Metal Fido 50, Retriever, Retriever City, Retriever 35, Retriever 50, Retriever 60, Tamtorque and Tespa are trademarks or registered trademarks of GLASDON GROUP or its subsidiaries in the UK and other countries.

Glasdon Group Limited Is An Equal Opportunities Employer.

© Glasdon UK Ltd. 06/2013 Glasdon reserve the right to alter price and specification without prior notice. LH/BD

* Durapol material is a polymer formulated to withstand extremes of temperature and is impact tested in our Quality Assurance Laboratory as part of our BS EN ISO 9001:2008 test procedure.

** Armortec corrosion-resistant coating is specially formulated to extend the life of Glasdon metal products and components used externally.

* Duraplus material is a polymer specially engineered to provide enhanced resilience, which gives improved recovery from impact.



When you have finished with this leaflet please recycle it

GS443/00